



# Clearlight Shows Pty Ltd

Please contact one of our friendly staff to obtain an obligation free, itemised hire quotation. We offer daily, weekly and longer term hire periods and can include freight, consumables (colour filters, electrical and gaffer tapes, lamps, smoke / haze fluids) and labour if required.

**Email** [hire@clearlight.com.au](mailto:hire@clearlight.com.au) **or phone** 03 9553 1688

5 Horscroft Place Moorabbin Vic 3189 Ph 03 95531688 Fax 03 9553 4401

[www.clearlight.com.au](http://www.clearlight.com.au)

# clearlight

## Hire Equipment List **NEW**

## LED Fixtures

### Power/Watts/Features

### Manual/Specification Links

#### LED THEATRE RANGE

Selecon PL PROFILE1 LED  
Selecon RAMA LED Fresnel

150w RGBW LED  
95w Warm White LED

#### LED PAR RANGE

LED Pro Par 64 Tri Led (Black or Chrome)  
Thomas PixelPar 90  
Thomas PixelPar 90N (Narrow beam)  
Philips Showline SL Par 155 Zoom RGBW

20x3W Tri Colour  
90 1w Luxeon LED's  
90 1w Luxeon LED's  
9 x 15w LED's

<http://www.showtech.com.au/products/productdata/LED/LEDPAR642/downloads/LEDPAR642.pdf>  
[http://www.pixelrange.com/pixelrange/assets/manuals/PixelPar90\\_v1-64b.pdf](http://www.pixelrange.com/pixelrange/assets/manuals/PixelPar90_v1-64b.pdf)  
[http://www.pixelrange.com/pixelrange/assets/manuals/PixelPar90\\_v1-64b.pdf](http://www.pixelrange.com/pixelrange/assets/manuals/PixelPar90_v1-64b.pdf)

#### MICRO LED RANGE

Thomas PixelLine Micro E (Effect)  
Thomas PixelLine Micro W (Wash)

174 LED's  
22 Luxeon LED's

[http://www.pixelrange.com/pixelrange/assets/manuals/PixelLine\\_Micro\\_E-v1-52g.pdf](http://www.pixelrange.com/pixelrange/assets/manuals/PixelLine_Micro_E-v1-52g.pdf)  
[http://www.pixelrange.com/pixelrange/assets/manuals/PixelBrick\\_v1-02b.pdf](http://www.pixelrange.com/pixelrange/assets/manuals/PixelBrick_v1-02b.pdf)

#### LED STRIP/CYC RANGE

Thomas PixelLine 1044  
Super CycLED 144 RGBWA Strip (LED Cyc)

1044 LED's  
CYC Batten RGBAW 15° + 30° (dual optic)

<http://www.pixelrange.com/pixelrange/index.php?id=31>

#### OUTDOOR LED RANGE

LED Par IP65 RGBW  
Osram Kreios MFL

IP65 48 x 3w RGBW  
IP65 54x3w RGBW

#### LED DRAPE RANGE

LED Black Star Curtain (White LEDs)  
LED Black Star Curtain (RGB Tri Colour LEDs)

6m x 3m or 3m x 6m  
6m x 4m or 4m x 6m

[http://www.showtech.com.au/products/productdata/LED/LEDCUR001/downloads/ledcur001\\_um.pdf](http://www.showtech.com.au/products/productdata/LED/LEDCUR001/downloads/ledcur001_um.pdf)

#### BATTERY LED RANGE

LiteWare 38W RGB Battery LED Uplighter

Wireless DMX, 24hr run-time

<http://www.gds.uk.com/gds-products/liteware/liteware-ul>

#### LED ULTRAVIOLET

Chauvet SlimBANK UV-18

High-output ultraviolet LED fixture

[http://www.chauvetlighting.com/products/spec/SlimBANK-UV18\\_Cutsheet\\_sm.pdf](http://www.chauvetlighting.com/products/spec/SlimBANK-UV18_Cutsheet_sm.pdf)

## Moving Lights

Power/Watts/Features

Manual/Specification Links

### PROFILE

Chauvet Rogue R2 Spot

240w LED, 16.5°

Martin Mac 250 Entour

MSD 250, 14°

<http://www.martin.com/product/product.asp?product=mac250entour>

Martin Mac 700 Profile

700HTI, 16° - 30° Zoom

<http://martin.com/product/product.asp?product=mac700profile>

Martin Mac Viper

1000HTI, 10° - 44° Zoom

<http://www.martin.com/product/product.asp?product=macviperprofile>

### WASH

Showtec Infinity iW1915

19 x 15w RGBW, 7° – 50° Zoom

Robe Robin 800 LED Wash^^

37 x 15w RGBW, 8° – 63° Zoom

<http://www.robe.cz/products/article/robin-800-ledwash/>

Martin Mac TW1\*\*

1200w 80V, 19°– 40° Zoom

<http://martin.com/product/product.asp?product=mactw1>

### MOVING LIGHT OPTIONAL ACCESSORIES

\* Robin 800 Beam Shaper Module 19°x35°

^ Robin 800 Top Hat

\*\* Mac TW1 Narrow Lens kit 14°- 27°

RSC Lightlock

<http://www.rsclightlock.com/>

### MOVING ARM

Apollo Right Arm

Pan / Tilt Moving Arm

<http://www.internetapollo.com/Products/View/2852.aspx>



## Lighting Consoles

Power/Watts/Features

Manual/Specification Links

LSC Minim 12	12 Channels	<a href="http://www.lscighting.com/products/consoles/minim-console">http://www.lscighting.com/products/consoles/minim-console</a>
Zero 88 Elara 12	12/24 Channels	<a href="http://zero88.com/support/index.php?/Knowledgebase/List/Index/54/downloads">http://zero88.com/support/index.php?/Knowledgebase/List/Index/54/downloads</a>
Zero88 Jester 12	12/24 Channels	<a href="http://zero88.com/products/jester12-24">http://zero88.com/products/jester12-24</a>
Zero 88 Elara 24	24/48 Channels	<a href="http://zero88.com/support/index.php?/Knowledgebase/List/Index/54/downloads">http://zero88.com/support/index.php?/Knowledgebase/List/Index/54/downloads</a>
Zero88 Jester 24	24/48 Channels	<a href="http://zero88.com/products/jester-2448">http://zero88.com/products/jester-2448</a>
Zero88 Jester ML	30 Fixtures	<a href="http://zero88.com/products/jester-ml24">http://zero88.com/products/jester-ml24</a>
Zero 88 Leap Frog 96	2048 Channels (4U) / 60 Fixtures	<a href="http://zero88.com/support/index.php?/Knowledgebase/List/Index/175/documentation">http://zero88.com/support/index.php?/Knowledgebase/List/Index/175/documentation</a>
ETC Element 60 (250)	1024 Channels (2U)	<a href="http://www.etconnect.com/docs/docs_downloads/datashts/4330L1003_Element_Control_Console_vJ.pdf">http://www.etconnect.com/docs/docs_downloads/datashts/4330L1003_Element_Control_Console_vJ.pdf</a>
ETC Ion IK	1024 Channels (2U) / 2x10 Playback	<a href="http://www.etconnect.com/product.downloads.aspx?ID=20351">http://www.etconnect.com/product.downloads.aspx?ID=20351</a>
ETC Ion 2K	2048 Channels (2U) / 2x10 Playback	<a href="http://www.etconnect.com/product.downloads.aspx?ID=20351">http://www.etconnect.com/product.downloads.aspx?ID=20351</a>

**SMOKE MACHINES**

Spaceball Smoke Machine

Low/Medium Volume output

Antari M5 Stage Fogger

High Volume output, DMX

Swefog Live T26 Smoke Processor

High Volume output, DMX

<http://www.swefog.com/LIVET26.htm>

**HAZERS**

Antari F-5D Fazer

Water Based High Volume

Swefog Ultimate II

High Volume Cracker Hazer

Swefog Ultimate III Hazer

High Volume Cracker Hazer

*(DMX, separate compressor)*

Swefog Ultimate 300 Hazer

High Volume Cracker Hazer

<http://www.swefog.com/Ultimate-300.pdf>

*(DMX, separate compressor)*

Swefog Ultimate 3000 Hazer

High Volume Cracker Hazer

<http://www.swefog.com/res/default/broschureultimate3000dmx.pdf>

*(DMX, separate compressor)*

**LOW FOG MACHINES**

Antari Ice Fogger

[http://www.antari.com/index.php/web/Products\\_i/28](http://www.antari.com/index.php/web/Products_i/28)

Antari DNG-100 Low Fog Machine

Converts normal fog from any fog machine into floor-hugging low fog

**BUBBLE MACHINES**

Chauvet Bubble Machine (Fluid Extra)

**FANS**

Coemar Booster Fan

Antari AF-3 Effect Fan

DMX or Manual control



## Followspots

Power/Watts/Features

Manual/Specification Links

Supplied with stand, dimmer and colour changer

LDR Canto 1200w Tungsten MK2 Followspot

20m/1200w

[http://www.ldr.it/docs\\_download.php?file=canto\\_1200th\\_mk2\\_engl.pdf](http://www.ldr.it/docs_download.php?file=canto_1200th_mk2_engl.pdf)

LDR Canto 1200w MSR MK2 Followspot

30m-50m/MSR 1200

[http://www.ldr.it/product\\_details.php?id\\_prod=26&id\\_linea=6](http://www.ldr.it/product_details.php?id_prod=26&id_linea=6)

Selecon Performer Followspot

60m/MSR 1200

[http://www.seleconlight.com/images/stories/files/discontinued/metric/performer\\_msr.pdf](http://www.seleconlight.com/images/stories/files/discontinued/metric/performer_msr.pdf)

## Conventional Fixtures

Power/Watts/Features

Manual/Specification Links

### PROFILES

Selecon Aureol Spot c/w Beamshaper

50w

[http://www.seleconlight.com/images/stories/files/english/productspecs/aureol\\_beamshaper.pdf](http://www.seleconlight.com/images/stories/files/english/productspecs/aureol_beamshaper.pdf)

Selecon Axial 18°-34° or 22°-44°

600w

[http://www.seleconlight.com/classic/images/stories/files/usa/productspecs/acclaim/acclaim\\_axial\\_zoomspot.pdf](http://www.seleconlight.com/classic/images/stories/files/usa/productspecs/acclaim/acclaim_axial_zoomspot.pdf)

ETC Source Four Jr 25°-50°

575w

[http://www.etcconnect.com/docs/docs\\_downloads/datashts/7062L1010\\_Source\\_Four\\_jr\\_Zoom\\_Spec\\_Sht\\_vE.pdf](http://www.etcconnect.com/docs/docs_downloads/datashts/7062L1010_Source_Four_jr_Zoom_Spec_Sht_vE.pdf)

ETC Source Four 19° / 26° / 36°

575/750w

<http://www.etcconnect.com/product.downloads.aspx?ID=20080>

Selecon Pacific 5.5°-13° / 14°-35° / 23°-50° /  
45°-75° / 90°

600/1000/MSR575

[http://www.seleconlight.com/index.php?option=com\\_content&task=view&id=160&Itemid=212&lang=en](http://www.seleconlight.com/index.php?option=com_content&task=view&id=160&Itemid=212&lang=en)

### PROFILE ACCESSORIES

Selecon Acclaim Iris

Selecon Pacific Iris

Selecon Pacific Top Hats

14°-35° / 45°-75° / 90°

ETC Source Four Junior Iris

ETC Source Four Iris

ETC Source Four Top Hats

Jr 25°-50° + 19° / 26° / 36°

ETC Source Four Zoom Top Hats

Gobo Holders - available for all Profiles

## Conventional Fixtures (cont.)

Power/Watts/Features

Manual/Specification Links

### FRESNEL and PC - supplied with barndoors

Selecon Acclaim PC	650w	<a href="http://www.seleconlight.com/images/stories/files/english/productspecs/acclaim/acclaim_pc.pdf">http://www.seleconlight.com/images/stories/files/english/productspecs/acclaim/acclaim_pc.pdf</a>
Selecon Acclaim Fresnel	650w	<a href="http://www.seleconlight.com/images/stories/files/english/productspecs/acclaim/acclaim_fresnel.pdf">http://www.seleconlight.com/images/stories/files/english/productspecs/acclaim/acclaim_fresnel.pdf</a>
ETC Source Four Fresnel	750w	<a href="http://www.etcconnect.com/docs/docs_downloads/datashts/7064L1001_Source_Four_Fresnel_SpecSht_vC.pdf">http://www.etcconnect.com/docs/docs_downloads/datashts/7064L1001_Source_Four_Fresnel_SpecSht_vC.pdf</a>
Selecon High Performance 7" PC	1200w	<a href="http://www.seleconlight.com/images/stories/files/discontinued/metric/1200_pc.pdf">http://www.seleconlight.com/images/stories/files/discontinued/metric/1200_pc.pdf</a>
Selecon High Performance 7" Fresnel	1200w	<a href="http://www.seleconlight.com/images/stories/files/discontinued/metric/1200_fresnel.pdf">http://www.seleconlight.com/images/stories/files/discontinued/metric/1200_fresnel.pdf</a>
Selecon Arena HP 10" Fresnel	2000w	<a href="http://www.seleconlight.com/images/stories/files/english/productspecs/arena/arena_hp_fresnel_eu.pdf">http://www.seleconlight.com/images/stories/files/english/productspecs/arena/arena_hp_fresnel_eu.pdf</a>

### FLOODS / CYC FLOODS

Ribalta 300w QI	300w	
Outdoor 500w QI	500w	
Outdoor 1000w QI	1000w	
Outdoor 1500w QI	1500w	
Selecon HUI Single Cyc	500w or 800w	<a href="http://www.seleconlight.com/images/stories/files/english/productspecs/HuiandLui/hui_cyc.pdf">http://www.seleconlight.com/images/stories/files/english/productspecs/HuiandLui/hui_cyc.pdf</a>
Thomas 500w 4 way Cyc Flood	4 x 500w, 4 x Trailing Lead	<a href="http://www.jamesthomas.co.uk/lighting/parCyclites.html">http://www.jamesthomas.co.uk/lighting/parCyclites.html</a>
Thomas 1000w 4 way Cyc Flood	4 x 1000w, 4way Weiland	<a href="http://www.jamesthomas.co.uk/lighting/parCyclites.html">http://www.jamesthomas.co.uk/lighting/parCyclites.html</a>
Desisti 1000w Single Cyc Flood	1000w	
Desisti 1000w 4 way Cyc Flood	4 x 1000w, 4 x Trailing Lead	
Colortran 1000w 4 way Cyc Flood	4 x 1000w, 4way Weiland	
Molefay Duet (audience blinder)	2 x 625w	
Quadfay(audience blinder)	4 x 625w	
Thomas Mini Strip 30 way Batten	30 x 12v 50w 36° (floor only)	



## Conventional Fixtures (cont.)

Power/Watts/Features

### PAR LAMPS

Par 16 Display Arm light (inc transformer)	50w/12v
Par 16 (inc transformer)	50w/12v
Par 16 240v	50w/240v
Par 36 Pinspot	30w/6v
Par 56 MFL,NSP	300w/240v
Par 64 Stubbie Can MFL,NSP,VNSP	1000w/240v
Par 64 Raylite	500w/240v
Par 64 MFL,NSP,VNSP	1000w/240v
Par 64 Scroller Can (double lock off)	MFL, NSP, VNSP
Kupo Multi Par HOG Black	600w/240v
Kupo Multi Par MSR 575 Black	MSR 575

### PAR LAMP ACCESSORIES

Par 64 Top Hat	Suit Par 64s and Pro Par Tri LED
Multi Par Barndoor	





## Dimmers / Power Distribution

Power/Watts/Features

Manual/Specification Links

### 10A DIMMERS

Followspot / Unit Dimmer

1 x 2.4kw

Zero88 Alpha Pack

3ch, 3 Faders/DMX

<http://zero88.com/products/alphapack-2>

Jands 4 Pack

4ch = 10A

Jands 4 Pack DMX

4ch = 10A/DMX

[http://www.jands.com.au/brands/jands/dimmers/4pak\\_-\\_d\\_dimmer](http://www.jands.com.au/brands/jands/dimmers/4pak_-_d_dimmer)

### 32A DIMMERS

LSC Redback

12 x 2.4kw

<http://www.lscighting.com/products/dimmers/redback-dimmer>

Jands FP 12

12 x 2.4kw

[http://www.jands.com.au/\\_\\_data/assets/pdf\\_file/0009/26775/FP\\_Dimmer\\_Rack\\_Mount\\_Operating\\_Manual.pdf](http://www.jands.com.au/__data/assets/pdf_file/0009/26775/FP_Dimmer_Rack_Mount_Operating_Manual.pdf)

Jands HP 12

12 x 2.4kw

[http://www.jands.com.au/\\_\\_data/assets/pdf\\_file/0009/26775/FP\\_Dimmer\\_Rack\\_Mount\\_Operating\\_Manual.pdf](http://www.jands.com.au/__data/assets/pdf_file/0009/26775/FP_Dimmer_Rack_Mount_Operating_Manual.pdf)

Jands Hub 24

15 x 2.4kw + 9 GPO

[http://www.jands.com.au/\\_\\_data/assets/pdf\\_file/0008/26774/Hub\\_Operating\\_Manual.pdf](http://www.jands.com.au/__data/assets/pdf_file/0008/26774/Hub_Operating_Manual.pdf)

Jands HP Touring Dimmer (Power Lock)

36ch/48ch/60ch/72ch (240v Patch)

### POWER DISTRIBUTION

3ø 32A Splitter

LSC Delta 3ø 12 x 13A Distro

<http://www.lscighting.com/products/power-distribution/delta-3ru-series>

200A Distro (Power Lock)

30 x 10A

200A Distro (Power Lock)

3 x 3ø 32A + 6 x 15A

### Data Distribution

LSC 4 way 5 pin Data Splitter

LSC 5 way 5 pin Data Splitter

LSC 10 way 5 pin Data Splitter

LSC Linklight Multiplexer 48ch

LSC Point DMX Merger/Splitter



## Scrollers / Rotators / Effect Wheels

Power/Watts/Features

Manual/Specification Links

Apollo MXR Scroller

*(fit Source 4, Pacific, Multipar, Par 56 / 64)*

Duel Gel String, 400 colours

<http://www.internetapollo.com/Products/View/3093.aspx>

Rainbow Scroller 2/16

*(fit Pacific, Par 64, 1200 Fres / PC)*

<http://www.pslx.co.uk/Datafiles/Rainbow/Manual%20RCC100.pdf>

DHA Gobo Rotator

*(fit Source 4, Pacific)*

<http://www.rosco.com/lighting/dhaRotator.cfm>

Effects Wheel to suit Profile (Fire, Water, Flicker)

*(fit Pacific)*

## Mirror Balls - with motor

Power/Watts/Features

Mirror Ball supplied with motor

12"/18"/24"

## Strobes

Power/Watts/Features

Manual/Specification Links

Mini Strobe

Super Strobe

75w

Mega Strobe

1500w

Dataflash Strobe inc controller

10A

<http://www.highend.com/products/effects/dataflashaf1000.asp>

AF 1000 Dataflash (DMX)

1000w

Martin Atomic 3000 (DMX)

3000w

<http://www.martin.com/product/product.asp?product=atomic>

## Ultraviolet (UV) Lighting

Power/Watts/Features

Manual/Specification Links

4' UV tube (inc fitting)

36w

Griven UV Flood 400

400w

[http://www.griven.com/index.php?action=t\\_products\\_eng&id\\_prod=213&idSubCat=25](http://www.griven.com/index.php?action=t_products_eng&id_prod=213&idSubCat=25)

Wildfire UV Fresnel

400w

<http://www.wildfirefx.com/products/lighting/longthrow.aspx>

## Effect Lighting

Power/Watts/Features

Police Beacon

Red, Blue, Orange

Tubular Ripple

2 x 1000w, Water Effect

## Film Lighting

Power/Watts/Features

Redhead c/w stand

800w

Blonde c/w stand

2000w

Redhead kit (4 x redheads c/w stands)

4 x 800w



TRUSS

- 1.5m Alloy Tri Truss 300mm (C-C)
- 2.25m Alloy Tri Truss 300mm (C-C)
- 3m Alloy Tri Truss 300mm (C-C)
- 90° Vertical Corner Alloy Tri Truss 300mm (C-C)
- 90° Horizontal Corner Alloy Tri Truss 300mm (C-C)
- Tri Truss Linton Ring 1m
- Tri Truss Cube
- Tri Truss Snaplock T Adaptor
- Tri Truss BBQ Base 1m x 6mm
- MAC Vertical Tri Truss Adaptor
- Robin Vertical Tri Truss Adaptor

STANDS

- 8ft Push Up Stand
- 10ft Push Up Stand c/w X Base
- 10ft Push Up Stand c/w Flat Base Plate
- 12ft Winch Up Stand
- 4m Production Winch Up Stand
- 16ft Winch Up Stand
- Manfrotto 126U Stand
- Manfrotto 269U Stand
- Manfrotto 087NW Stand
- Manfrotto Follow Spot Stand
- Autopole (Silver)
- Autopole (Black) c/w extension
- Boom Stand Base - takes 50mm pipe

KUPRIG232

[http://www.showtech.com.au/products/productdata/KUP/kuprig231/downloads/kuprig231\\_Datsheet.pdf](http://www.showtech.com.au/products/productdata/KUP/kuprig231/downloads/kuprig231_Datsheet.pdf)

11 feet

15 feet

12 feet

5 feet

12 feet

13 feet

600mm x 600mm



**ACCESSORIES**

2" Alloy Pipe	1m/2m/3m/4m
90° Scaff Clamp	
360° Scaff Clamp	
90mm Steel round floor stand	Suit Par 16
H Stand	
Barrel Floor Stand	
T/Piece	
600mm Dropper Clamps	
Boom Arm Bracket	Twisted/Straight
TD Clamp	
Half Coupler Clamp	
RSJ Clamp 1ton / 2ton	Suit 75-220mm RSJ
3' Dropper Bars	Adjustable Height
4' Dropper Bars	Adjustable Height
10' Dropper Bars	Adjustable Height

## Cables

### Power/Watts/Features

#### POWER CABLES

10A Power Cable	1m - 10m/15m/20m/25m
20A Power Cable	10m/15m/20m/25m
Weiland 4 way loom 240v	5m - 30m
Socapex 6 way loom 240v	15m - 30m
3ø 32A Cable	5m - 50m
3ø 15A - 32A Adaptor	
3ø 20A - 32A Adaptor	
Powerlock cable sets	2m/3m/5m/10m/15m/30m/50m

#### DATA CABLES

DMX Cable (5pin)	1m/2m/3m/5m - 50m
MIC Cable (3pin)	1m/2m/5m - 50m
RCC Cable (4pin)	5m - 20m

## Intercom Systems

### Power/Watts/Features

Ezicom Master Station c/w headset	2 Channel
Ezicom Sub Station c/w headset	

## Cable Guards

### Power/Watts/Features

5 Channel Heavy Duty Cable Guard	90cm x 59cm x 7.2cm
1 Channel Light Duty Cable Guard	100cm x 13.6cm x 1.8cm

## Curtain Track / Drapes / Telescopic Drape Support

Power/Watts/Features

### CURTAIN TRACK

Jands Tab Track	3m
Jands Tab Track	1.5m
Jands 90° Curved Tab Track	1m

### DRAPES

Rokel 12m x 1m	Flat
Rokel 10m x 1m	Pleated
Rokel 6m x 5m	Flat
Rokel 2m x 4m	Pleated
Wool 7.6m x 7.3m	Flat
Wool 3m x 7.3m	Flat
Wool 9m x 1.5m *	Flat
White Scrim 12m x 8m	Flat
White Scrim 9.1m x 4.6m	Flat
Black Scrim 9.4m x 5m	Flat
White Cyc 4.5m x 4.1m	Flat

\* fits telescopic drape support to create Ops Surround

### TELESCOPIC DRAPE SUPPORT

Curtain Call Telescopic Post	2 Stage / .9m – 1.5m
Curtain Call Telescopic Crossbar	2 Stage / 1.2m – 2.1m
Curtain Call Telescopic Crossbar	2 Stage / 2.1m – 3.6m
Curtain Call Post Steel Base Plate	50mm x 450mm x 6mm, Spigot

## Services offered by Clearlight Shows

- THEATRICAL LIGHTING - HIRE / SALES / PRODUCTION / SERVICE
- DELIVERY / PICK UP (HIRE, SALES AND SERVICE)
- LABOUR FOR INSTALL / DISMANTLE / OPERATION
- REPAIRS TO LIGHTING EQUIPMENT
- LIGHTING DESIGN
- CONSUTANCY / TRAINING



## Key Staff Contacts

### HIRE DEPARTMENT

Martin Bowman - Hire Department

Adrian Vernon - Hire Department

[martin@clearlight.com.au](mailto:martin@clearlight.com.au)

[adrian@clearlight.com.au](mailto:adrian@clearlight.com.au)

### SALES DEPARTMENT

John McKissock - Managing Director

Simpson Myers - Sales & Marketing

Jacqui Francese - Accounts

[john@clearlight.com.au](mailto:john@clearlight.com.au)

[simpson@clearlight.com.au](mailto:simpson@clearlight.com.au)

[jacqui@clearlight.com.au](mailto:jacqui@clearlight.com.au)

### REPAIRS AND SERVICE

David Oxland - Maintenance Department

[david@clearlight.com.au](mailto:david@clearlight.com.au)